



Harnessing the Power of Insects: A Sustainable Approach to Food and Feed Production

Sujatha G. S. ^{a*}, Katta Subramanya Sai Teja ^b,
Gadde Anil Kumar ^c, Parikshit Uchai ^b, Hema A. P. ^d,
Mamatha M. ^e, Ramya R ^d
and Dharanikota Lalithambica Devi ^f

^a Division of Entomology, ICAR-Indian Agricultural Research Institute, New Delhi- 110012, India.

^b Department of Entomology, Dr. Rajendra Prasad Central Agricultural University, Bihar- 848125, India.

^c Department of Entomology, Acharya N. G. Ranga Agricultural University, Andhra Pradesh- 522101, India.

^d Department of Entomology, University of Agricultural Sciences Bengaluru- 560065, India.

^e Department of Entomology, University of Agricultural Sciences Raichur- 584104, India.

^f Department of Entomology, G. B. Pant University of Agriculture and Technology- 263145, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/ejns/2024/v16i81517>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/121809>

Review Article

Received: 11/06/2024

Accepted: 13/08/2024

Published: 21/08/2024

ABSTRACT

This study looks at the potential of insects as a sustainable food and feed source in light of the challenges posed by an increasing global population and environmental impacts from conventional livestock farming. It points out that different species of insects are rich in proteins, essential amino

*Corresponding author: Email: sujigowda2709@gmail.com;

Cite as: G. S., Sujatha, Katta Subramanya Sai Teja, Gadde Anil Kumar, Parikshit Uchai, Hema A. P., Mamatha M., Ramya R, and Dharanikota Lalithambica Devi. 2024. "Harnessing the Power of Insects: A Sustainable Approach to Food and Feed Production". *European Journal of Nutrition & Food Safety* 16 (8):294-308. <https://doi.org/10.9734/ejns/2024/v16i81517>.

acids, healthy fats, and micronutrients which makes them suitable for human consumption as well as animal feed. The paper also discusses environmental benefits associated with insect farming such as reduced land use, lower water usage, decreased greenhouse gas emissions, and upcycling of organic waste thus contributing to a circular economy within food production systems. In addition, it talks about scaling up challenges like consumer acceptance or regulatory frameworks around this industry. By examining these aspects, the article hopes to shed some light on how insect farming can improve global food security and sustainability. Finally, it aims at building a holistic understanding of what role could be played by bugs in transforming our dietary system while meeting nutritional needs but minimizing ecological footprints.

Keywords: Entomophagy; food security; consumer acceptance; nutrient composition; regulatory frameworks.

1. INTRODUCTION

The world's population is growing rapidly, leading to increased challenges in meeting nutritional requirements and driving up global meat demand [1]. To address malnutrition, various strategies are being employed, including diversifying diets, biofortification, supplementation, and commercial food fortification [2] [3] [4]. Insects have emerged as a significant food source, with thousands of species consumed annually, particularly in developing countries [5]. Approximately 2.5 billion people worldwide incorporate insects into their diets as a supplementary food source [6]. In recent years, edible insects have gained traction as nutritious and eco-friendly alternatives to conventional meat and dairy products, with the global edible insect market projected to exceed \$3 billion by 2030 [7]. Despite this trend, insect consumption remains uncommon and often taboo in many Western societies [8]. However, in numerous countries across Asia, Africa, Europe, and Latin America, whole, easily identifiable edible insects are consumed as popular snacks or even primary protein sources [6]. These insects are typically prepared through methods such as boiling, drying, toasting, or frying before being incorporated into various dishes [9]. The challenge is how to feed the world sustainably with a growing population expected to reach 9.7 billion by 2050. However, traditional livestock farming has increasingly been criticized due to its environmental impact as well as resource utilization [10]. Entomophagy - eating insects, and using them to feed animals are seen as potential solutions in this situation. Insects present an interesting source of alternative proteins with various benefits over other alternatives. For example; insect farming according to [11] requires less land, water and feed compared to conventional livestock keeping systems thus having significantly lower

environmental footprints. Additionally, insects can convert organic waste streams into valuable proteins which creates a circular economy approach towards food production. They also contain a lot of proteins, essential amino acids, good fats as well micronutrients that are needed by both animals and humans for growth and development [12].

This paper will explore different angles of insects as food and animal feeds. We shall look at nutritional benefits vis-à-vis environmental implications; challenges associated with scaling up their production; consumer acceptance plus policy frameworks among others. Finally, it seeks to establish how best insects could contribute towards making the global food system more sustainable as well secure overall food security situation worldwide in future years ahead.

2. NUTRITIONAL VALUE OF INSECTS

Insects have gained considerable attention as a sustainable and nutritious protein source. In terms of nutritional composition, they are highly diverse and can vary greatly depending on the species, diet, and rearing conditions [12]. Nevertheless, they generally contain high amounts of essential nutrients which make them suitable for both human consumption and animal feedstuff.

2.1 Macronutrient Profile

a) A Protein Powerhouse: Insects can be up to four times richer in proteins than beef, chicken or soybeans. For instance, "The crude protein content of many species exceeds 60%." This abundant supply from different sources could help solve global protein shortage due to malnutrition. An article cited by [19] says that "insect proteins are usually complete with respect

Table 1. Edible insects' nutrients compare with common protein sources

| Sl. No. | Food Source | Protein (%) | Fat Content (%) | Carbohydrate (%) | Energy (kcal/100g) | Key Minerals | Reference |
|---------|--|---------------|-----------------|------------------|--------------------|--|-----------|
| 1 | Mealworm (<i>Tenebrio molitor</i>) | 54.41 - 64.33 | 22.46 -36.01 | - | - | Methionine (limiting amino acid) | [13] |
| 2 | Cricket (<i>Acheta domesticus</i>) | 44.31 - 64.90 | 0.61 - 46.29 | 3.43 - 12.27 | 2028.11 - 2551.61 | Essential amino acids, highest carbohydrate content among studied insects | [14] |
| 3 | Grasshopper (<i>Ruspolia differens</i>) | 28 - 45 | 41 -54 | - | 582 – 644 | All essential amino acids, histidine exceeding daily requirement for adults, rich in minerals and vitamins, flavonoids (up to 484 mg/100g) | [14] [15] |
| 4 | Bee brood | 18.2-20.3 | 11.8-49.0 | 14.0-50.6 | 1567-2369 | Na, K, Mg, Zn, Fe, Mn, Co, P | [16] |
| 5 | Snout beetle | 18.2-20.3 | 11.8-49.0 | 14.0-50.6 | 1567-2369 | Na, K, Mg, Zn, Fe, Mn, Co, P | [16] |
| 6 | Termite soldier | 18.2-20.3 | 11.8-49.0 | 14.0-50.6 | 1567-2369 | Na, K, Mg, Zn, Fe, Mn, Co, P | [16] |
| 7 | Silkworm larva | 18.2-20.3 | 11.8-49.0 | 14.0-50.6 | 1567-2369 | Na, K, Mg, Zn, Fe, Mn, Co, P | [16] |
| 8 | Silkworm pupa | 18.2-20.3 | 11.8-49.0 | 14.0-50.6 | 1567-2369 | Na, K, Mg, Zn, Fe, Mn, Co, P | [16] |
| 9 | Orange-fleshed sweet potato + Cricket (50:50) | 36.75 | - | - | 541.09 | Fe (4.38 mg/100g), Zn (10.65 mg/100g), Ca (152.77 mg/100g) | [17] |
| 10 | Orange-fleshed sweet potato + Palm weevil larvae (50:50) | - | - | - | 541.09 | - | [17] |
| 11 | Chicken Egg | 12.1 ± 0.73 | 10.5 ± 0.83 | 1 - 1.44 | 142.9 ± 0.47 | Vitamin D, Selenium | - |
| 12 | Chicken | 24 | 8 – 10 | 0 | 239 | B Vitamins | - |
| 13 | Mutton | 16.5 | 10.6 | 2.5 | 1715 | Zinc, Iron | - |
| 14 | Beef | 24 | 15 | 0 | 250 | Vitamin B12, Iron | - |
| 15 | <i>Borocera cajani</i> | 63.98 | 29.84 | 2.06 | 532.78 | Zn, Cu | [18] |

to their amino acid composition when compared with WHO recommendations”.

b) Amino Acid Advantage: Not only do insects have high levels of protein but also a well-balanced profile containing all the nine essential amino acids required by humans for good health. This means that insect protein is complete like animal-based proteins. According to [14], “insects are rich sources of first-class protein (20-76 g/100 g dry matter).”

c) Healthy Fats: Fat content varies widely among insects. However, many species provide a healthy mix between saturated fats (SFAs), monounsaturated fatty acids (MUFAs) and polyunsaturated fatty acids (PUFAs). Some insects such as crickets have high levels omega-3s which are good for heart health. “Up to 70 g/100 g total fatty acids could be polyunsaturated fatty acids” [14].

d) Carbohydrates and Fiber: Compared to traditional cereals, insects are generally low in carbs but can contribute towards dietary fiber intake. Chitin found in the exoskeleton of insects acts as a dietary fibre source that may promote gut health.

2.2 Micronutrient Content

Insects are rich sources for essential vitamins and minerals often surpassing those found in conventional foods. Establishing standardised data collection and analysis methods is crucial for accurately evaluating the nutritional composition of different insect species [20].

a) Vitamins: Numerous insects species are abundant with B vitamins especially vitamin B12 which is commonly lacking in vegetarian diets. They also contain other vitamins like E and riboflavin in varying amounts [21,22].

b) Minerals: Good amounts of necessary minerals such as iron, zinc, calcium and magnesium can be obtained from eating insects. Iron deficiency is a major global nutritional problem and consuming insects may provide this vital mineral in an easily absorbable form [23]. points out that “the insects studied are rich in crude protein and other nutrients” [14].

2.3 Bioavailability and Digestibility

a) Chitin Considerations: Chitin can block nutrient absorption, in spite of being a good source of fiber. For all that grinding and drying

are possible methods for improving digestibility. This is even supported by the fact that “chitinase has been found in human gastric juices” which implies some digestion may take place.

b) Digestibility Studies: Research is still ongoing on how well humans and animals can digest proteins from insects among other nutrients. Nonetheless, preliminary researches suggest that insect protein is easily digested by both man and livestock [24].

3. ENVIRONMENTAL SUSTAINABILITY OF INSECT FARMING

Environmental Sustainability of Insect Farming Ordinary systems for keeping farm animals have a huge environmental impact such as deforestation, greenhouse gas emissions as well as water pollution. Conversely, rearing insects could be more sustainable than any other thing we do because it might help to save our environment while at the same time meeting our needs.

3.1 Land Use and Efficiency

a) Reduced Land Requirements: Comparatively speaking with conventional animal husbandry insect farming uses little space [12]. According to Van Huis, A [25], “Insects are very efficient in converting feed into body mass, with relatively little land requirements.” With the current global food demand coupled with the growing pressure on land resources this becomes a critical consideration.

b) Efficient Feed Conversion Ratios: Compared to normal livestock insects need small amounts of feeds before they can produce similar quantities of proteins thus having high conversion rates [26]. The authors say that supplementing fishmeal & soybean meal which are the main sources for livestock feed today should be done through using insects as animal feeds so as to improve on this. They attribute this efficiency to their being cold-blooded hence having lower metabolic rates [27].

3.2 Water Footprint

a) Reduced Water Consumption: Insect rearing generally takes in less water than other types of livestock farming, especially drinking and feed water. Van Huis (2019) stresses that “livestock production is a major contributor to global greenhouse gas emissions [28]. The world needs more sustainable diets as one way of mitigating

this crisis, which eliminate the need for meat or produce it from some other sources."

b) Inhibited Water Pollution: Additionally, insect farming can help reduce water pollution. They generate waste materials that are easy to manage and use as fertilizers reducing the chances of nutrient runoff and water contamination.

3.3 Greenhouse Gas Emission

a) Lower Carbon Footprint: Greenhouse gas emissions from insects rearing are significantly lower compared to those from traditional livestock keeping. Van Huis says that "the environmental sustainability of insects as food and feed is increasingly being recognized." Their methane production levels are low compared to those in traditional livestock, their FCRs are efficient, and they use fewer energy-intensive inputs [25].

b) Mitigating Climate Change: Insect farming can contribute towards climate change mitigation through lowering anthropogenic GHG emissions thereby promoting an environmentally friendly food system [29] [30].

3.4 Waste Management and Circular Economy

a) Upcycling Organic Waste: A wide range of organic waste streams including food waste and agricultural by-products may be used for insect

rearing. This aspect of upcycling contributes to a more circular economy since it prevents landfills from receiving biodegradable wastes and converts them into useful protein sources. "The utilization of insects as animal feeds presents opportunities to enhance sustainability because they convert valueless organic wastes such as fruits, vegetables even manure into high-quality feed [27].

b) Closing the Loop: Integrating insect farming with circular food systems leads to a closed loop system which minimizes waste, optimizes resource utilization and reduces environmental impacts [12] [31] [32].

4. INSECT SPECIES SUITABLE FOR FOOD AND FEED

4.1 Frequently Eaten Species

The consumption of insects as food, known as entomophagy, is increasingly being recognized worldwide as an ecologically sustainable and nutritious protein substitute. In a global survey of 2,100 edible insect species, Siddiqui et al. (2023) found that around 500 can be found in sub-Saharan Africa alone [8]. Similarly, Magara et al., (2021) recorded the existence of over sixty species of crickets eaten across forty-nine countries worldwide which shows how widespread this practice is considered to be. However, among thousands of types available for consumption only few are more popular than others [33].




Fig. 1. World wide distribution of edible insect order and number of species (Image created by using Biorender and Powerpoint) (Source: Omuse et al., 2024)

Grasshoppers and Locusts: These orthopteran insects are widely consumed across African and Asian countries, as well as in certain parts of America. Protein content ranges between 55%-73% dry matter basis [8] [33].

Crickets: Along with grasshoppers' crickets are a popular insect that people eat because they not only provide nutrients but may also have immunomodulatory properties associated with them. For example, researchers were able to find anti-inflammatory effects from bioactive peptides derived from *Tenebrio molitor* [34]. In another study by Perez-Santaescolastica et al., (2022) flavor profiles were investigated so that sensory qualities and consumer acceptance could be better understood among different edible insects including crickets [35].

Beetles: Various beetle species such as mealworms (larval stage darkling beetles) represent some frequently consumed foods all over the world. The carbohydrate content among edible insects has been documented to range from seven percent up to fifty four percent according to Hlongwane et al. (2020) while Siddiqui noted this figure may go beyond that [36].

Caterpillars: Some caterpillars are considered a delicacy, particularly those of certain moth species such as the mopane worm in southern Africa. The fat content of Lepidoptera has been observed to have highest among edible insects [8] [36] ranging between ten and fifty percent on dry matter basis.

These insects have not only nutritional values but they also play an important role in culture. In many societies of Africa for example people feed on them as part their traditional diets besides using them medicinally too [8].

4.2 Species Suitable for Livestock Feed

With growing demand for sustainable protein sources which can be used for livestock feeding following insect species have shown potential.

Black Soldier Fly (*Hermetia illucens*): In the animal feed industry this is one of the most commonly employed species. It has been established through recent studies that it could serve well as an alternative protein source for feeds meant for animals with allergies because some allergens were identified during these investigations. For instance, Maurer et al., (2016) found *Hermetia illucens* larvae meal could

replace soybean cake without causing any adverse effects on egg production or intake among laying hens they studied [37].

Housefly (*Musca domestica*): A lot of work has been done trying to determine whether this particular fly species can usefully serve as a nutritional supplement for various types of livestock including poultry and swine [38].

Mealworms (*Tenebrio molitor*): Larvae belonging to darkling beetles are highly nutritious because they contain large amounts of proteins and fats thus making them very good feed for fish and poultry according to Silva's research findings (2020) [39].

Their immunomodulatory activities have also recently attracted attention from scientists worldwide who believe that there may be even more benefits associated with it. It is very important to ensure that the nutritional composition of an insect species corresponds to the specific needs of the target animal when using insects as a source of feed for livestock. Insect-based diets have been found to be effective in feeding pigs, fish, pets and poultry. Poultry require high quality protein that has an appropriate balance of amino acids; this can be supplied by many kinds of insects [40]. Some insects or their diets are enriched with omega-3 fatty acids which are necessary for most aquaculture species [41]. Different stages of pig growth call for swine feeds having different levels and proportions of proteins, energy content as well as essential amino acids [39].

4.3 Factors Influencing Species Selection

Several factors are considered when selecting insect species for food and feed purposes.

Nutritional Profile: To decide which insects to use for food and feed, some of the most important factors to consider include the amount of protein they contain, their amino acid composition, the proportion of fat they have in their body as well as levels of trace elements; in this regard, for instance, black soldier fly larvae are known for their high protein content and favorable amino acid profile making them suitable for various livestock species [42]. Edible insects have been reported to supply all eight essential amino acids hence a complete protein source.

Ease of Rearing: The preference is for species that can be raised on a large scale. Things such as breeding habituality, growth rate and feed

conversion efficacy matter. Insects are regarded as eco-friendly compared with other stocks since they require less ecological space and need less land and water than other animals [38].

Environmental Adaptability: They also need an insect capable of adapting itself to a wide range of environmental conditions easily that make them good candidates for large-scale production including tolerance to temperature fluctuations, ability to grow on several substrates.

Palatability: In human consumption taste and texture play significant roles. For example, sensory properties of edible crickets were tested in order to understand consumer acceptability [33].

Safety and regulatory Considerations: It is important that there are no toxic substances allergens or bioaccumulation occurring from edible organisms. More recently has been dedicated towards analyzing whether edible insects possess any allergenic features so that they can eat without fear [43].

Sustainability: Majorly such is determined by the ability of insect species to change low quality organic matter into high value proteins. Insect farming utilizes about one-fifth of the land used in traditional animal farming [38].

5. INSECT FARMING PRACTICES

There has been increase in insect farming as a potential solution to the global food security issues and sources of sustainable proteins for human consumption and animal feed [44]. This involves carefully planned rearing systems, feeding substrates optimization and efficient harvesting and processing methods to come up with high-quality products based on insects.

5.1 Rearing Systems

Insect production efficiency and scalability depend on rearing systems: vertical farming, container-based, and open-air. Vertical farming maximizes space by stacking trays, controlling environmental factors, and automating processes, suitable for Black Soldier Fly larvae and mealworms [45]. Container-based systems use adaptable plastic or metal containers, ideal for small to medium-scale cricket or mealworm production with good biosecurity. Open-air systems mimic natural conditions but offer limited environmental control, suitable for locusts or grasshoppers. While less space-efficient, they

can integrate with existing farming or waste disposal methods [46]. Vertical farming excels in controlled environments and automation, container-based systems offer flexibility and biosecurity, while open-air systems provide natural conditions but with less control and efficiency.

5.2 Substrates for Feeding

The choice of substrates used for feeding is a key determinant of insect growth, nutritional composition and overall sustainability in rearing insects. Different options exist which include food waste and agricultural by-products; purpose-grown crops; and industrial by-products. Using organic waste streams as feed reduces environmental impact while also contributing to circular economy principles. This can be exemplified by fruit & vegetable waste, cereal by-products and brewery waste among others. Organic food wastes such as manure, composts or vegetable scraps unfit for human consumption could serve as feed for edible insects like black soldier flies and crickets. The nutrient needs of farmed insects vary with species and life stage but protein content + amino acid profile; carbohydrate levels + fiber; fat content + fatty acid composition; micronutrient balance; presence of anti-nutritional factors or contaminants are some important considerations. Poor quality substrates adversely affect insect health, growth rates and final nutritional composition. Moisture content, particle size as well as microbial load among other factors need to be carefully controlled for optimization of production while ensuring food safety [44].

5.3 Methods of Harvesting and Processing

Efficient harvesting and processing techniques are essential for ensuring quality insect-based products. Harvesting methods include manual collection, mechanical separation, and automated systems using sensors and robotics, particularly in vertical farming setups. Processing involves freezing, blanching, drying, grinding, and extraction. Freezing humanely kills insects while preserving nutritional value, and blanching inactivates enzymes and reduces microbial load. Various drying methods extend shelf life and prepare insects for further use. The choice of processing method affects nutritional value, shelf life, palatability, and food safety. Heat treatment can impact protein digestibility, while drying methods may influence fat oxidation and vitamin

retention. Extraction processes concentrate specific nutrient fractions. Insects can be processed into pastes, powders, or meals, expanding their potential applications in food and feed [44]. Insect rearing has a lower environmental impact compared to traditional livestock farming. It produces fewer greenhouse gases and requires less land and water [45]. Life cycle assessments have demonstrated various environmental benefits of insect farming over conventional livestock methods [8]. As the industry grows, there is an increasing need to understand and prevent insect diseases during rearing. Insect pathogens pose significant challenges to production systems at all scales, from small-scale farming to large-scale industrial production. Addressing these issues is crucial for the sustainable development of the insect-based food and feed industry.

Biotic and abiotic factors can start diseases and influence insect immunocompetence implying the need for appropriate control measures against disease in rearing facilities of insects [47]. The desire for insect-based commodities is expected to rise significantly; with estimates indicating that by 2030, demand for edible insects as alternative proteins might be of up to three million metric tonnes. In order to satisfy this burgeoning need, production and processing could be expanded using such technological breakthroughs like Internet of Things [8]. Nevertheless, detailed environmental assessments are necessary for predicting large scale farming scenarios and guaranteeing its sustainable future.

6. CONSUMER ACCEPTANCE AND FOOD SAFETY

6.1 Sensory Attributes and Palatability

The consumption of insects as food and feed is a complex issue influenced by sensory attributes, consumer attitudes, and food safety concerns. Taste, texture, appearance, and smell significantly impact the perception and acceptance of edible insects [48] [49]. While insects may have desirable nutty or umami flavors, their fatty nature can produce off-flavors, necessitating proper processing techniques like defatting and deodorizing [48]. Texture preferences vary, with some consumers appreciating the crunchiness of whole insects, while others prefer less obvious textures in insect-based products [49]. To address texture concerns and promote acceptance, researchers suggest incorporating insects into familiar foods

like cream soups or baked goods using insect flour [48] [49]. Western societies, where entomophagy is uncommon, often exhibit disgust reactions towards insect-containing foods [50]. The use of insect powders or flours in food products can help reduce these instinctive behaviors [48] [49]. Cultural norms and unfamiliarity with insects as food contribute to the "yuck factor," a significant barrier to insect consumption in the West [50] [51]. Food neophobia, or the reluctance to try new foods, is strongly associated with this aversion [50]. Interestingly, a study in Poland found no statistically significant differences in attitudes towards insect-based products between older and younger adults, suggesting that age-specific promotion strategies may not be necessary [49] [52]. To overcome these obstacles, suggestions include gradually introducing insects into familiar foods, educating consumers about their nutritional value and environmental benefits, and increasing exposure over time [50] [51]. A study in Catalonia, Spain, revealed that consumers more aware of sustainable diets and climate change were more likely to view insects as potential future nutrition sources [53]. Allergies pose a significant concern, with potential risks identified for individuals allergic to shellfish. Some insect species have been found to be primary sensitizers, emphasizing the need for careful allergen labeling and risk assessment [54]. Proper processing, storage, and handling of insect-based products are crucial for ensuring food safety and building consumer confidence. The establishment of clear regulatory guidelines could alleviate consumers' concerns about safety and quality [50] [55]. The European Union has recently implemented more complex regulations in response to the growing edible insect industry [50].

Research has demonstrated the nutritional and environmental benefits of insect consumption. Studies have shown that insects are an adequate protein source with potential health benefits, including improved gut function and reduced systemic inflammation [56] [54]. Moreover, insect farming has been found to have lower environmental impacts in terms of land use, water footprint, and greenhouse gas emissions compared to conventional livestock farming [56].

6.2 Food Safety Considerations for Insect Consumption

The demand for insects as a sustainable food and feed has highlighted the critical nature of

comprehensive food safety in this developing industry. Insect consumption, like any other novel dietary source, has peculiar challenges and potential risks that must be cautiously addressed to guarantee consumers' protection and confidence in these products [57] [58]. One of the major concerns about the food safety of insects is possible allergy reactions. Insects, especially those closely related to crustaceans like shrimp, can provoke allergic response among people who are allergic to shellfish. This cross-reactivity results from similar proteins such as tropomyosin found both in insects and crustaceans [58]. Additionally, individuals with dust mite allergies may also be at risk when consuming insects, given that their allergen profiles share similarities. To mitigate these risks, insect-based products must carry appropriate labeling and allergen declarations [59]. Another important aspect of food safety is the accumulation of heavy metals and other contaminants by insects. Bioaccumulation studies reveal that if not properly handled, insects can accumulate heavy metals which are harmful to human health [60] [61]. For instance, aquatic insect species such as *Baetis pavidus* have been shown in research to accumulate heavy metals thereby indicating the importance of monitoring contaminants within insect farm settings [61]. Therefore, there should be strict control measures on the feeds provided for insects as well as breeding conditions so that cases of contamination by heavy metal elements can be contained within farm [62] How about regarding pesticides? Especially due to use of agricultural byproducts or organic waste substances in raising insects, if due care is not observed, there could be accumulation of pesticides [63]. The concern should therefore be addressed through put tomorrow measures and development of globally acceptable levels of pesticide residues in insect feed as well as strict evaluation requirements all along the production chain [64].

For instance, heat treatment has the capability to lower microbial contamination and inactivate probable pathogens [58]. On the other hand, it should be remembered that distinct methods of processing may be required for various insect species in order to ensure safety while maintaining nutritional qualities [65]. Insect industry's food safety is also anchored on traceability. The use of robust traceability systems enable quick identification and recall of potentially dangerous products thus minimizing the risk to consumers [49]. This is especially important given the complex supply chains which

often accompany insect production and processing. Continuous research and monitoring are vital as the insect food and feed industry expands so as to identify rising food safety concerns [50]. These include long-term effects of eating insects, possible drug-food interactions, and product safety implications associated with different farming/processing techniques [59].

6.3 Marketing and Consumer Education

The edible insect industry has seen the development of insects derived flour mainly from crickets and mealworms which are now being sold in markets both in North America and Europe. Food scientists have tried to enhance the appeal of these products by exploring techniques such as controlled enzymatic protein hydrolysis to improve the functionality and nutritional quality of insect flours. Marketing campaigns for insect-based foods must deal with the psychological barriers that many consumers face. They need to address common psychological hurdles that inhibit a significant percentage number of its customers. To this end, marketing strategies should focus on educating consumers about the nutritional benefits of insects, their environmental sustainability, and their potential to address global food security challenges. These campaigns will help emphasize high protein content, essential amino acids and micronutrients found in insects that can position them as a healthy and sustainable alternative to traditional protein sources [66].

There is a considerable diversity of the consumer acceptance of edible insects in different countries and cultures [67] [68]. A case in point is that a study conducted in China reported that 73.73% of those surveyed had at some point eaten insects, with the most preferred being members of the Bombycidae, Acrididae, and Apidae families [67]. Conversely, Western countries generally exhibit low acceptance levels thereby emphasizing the need for customized marketing approaches within different regions. The socio-demographic background, culture and current catering patterns should be taken into account to effectively advertise insect eating [68] [69]. On the other hand, age, education level as well as occupation were discovered to influence consumers' readiness to consume insects [67] [70]. In this respect, marketing strategies need to be modified so as to target specific customer segments with regard to their distinct concerns and preferences [68].

7. REGULATORY FRAMEWORKS AND LEGISLATION

7.1 Current Regulations

However, the policies guiding the consumption of insects for human beings on earth differ greatly from one jurisdiction to another; this poses as many problems as opportunities faced in building this emergent industry. In the EU, insects and insect-derived products are novel foods under Regulation (EU) 2015/2283 which mandates their rigorous safety assessments before authorization in the market. As a result, there is gradual introduction of edible food from insects into member states within EU; nevertheless, it remains intricate and long-drawn-out process. However, instituting harmonized regulations across different regions is not without its challenges. Although European Union has established a centralized approval procedure for new varieties of food including those derived from insects; other countries may have diverse rules [71]. This lack of global alignment in regulatory frameworks can obstruct international trade and limit growth within the sector of insect foods. Nonetheless, these difficulties also present prospects for collaboration across borders that could foster an internationally recognized system of guidelines to help promote expansion worldwide within this sector [72].

Presently, India does not have specific laws for using insects as food or feed though already existing Food Safety and Standards Authority of India (FSSAI)'s normative basis might be used to cover this emerging area. While Food Safety and Standards Act of 2006 forms the legal framework for food regulation in India; it does not directly speak about insects. The ever-increasing global interest in insect-based foods will likely compel Indian regulators to formulate more focused directives regarding product safety and quality assurance. Notably, FSSAI has been proactive through addressing new challenges related to food safety such as setting limits for trans-fats recently [73]. Therefore, India does not currently have explicit regulations on insects as food and feed; however, it could possibly use similar approaches to those used in other regions like Europe's novel food regulations [58] [74]. Moreover, future regulatory changes within India must take into account cultural aspects, consumer attitude and likely health effects of insect-based products besides addressing such things as safety assessments, quality controls and labeling requirements [75].

7.2 Labeling Requirements

A crucial aspect of regulatory compliance and consumer information is labelling requirements for insect-based products. For example, the EU's Food Information to Consumers Regulation (Regulation (EU) No 1169/2011) has general labeling requirements that apply to any food product including those made from or containing insects. These include allergen particulars, nutrition facts and country of origin indication. Given their close relationship with crustaceans, it is important that insect-based products should explicitly state on their ingredient list the presence of insects.

Nutritional labelling for insect-based products follows similar guidelines as other food products and requires declaration of energy value, fat, saturates, carbohydrate, sugar, protein and salt amounts. The unique nutritional profile of insects such as high protein content and beneficial fatty acid composition provide an opportunity for making nutrition and health claims. All these claims should be scientifically substantiated and must comply with the Nutrition and Health Claims Regulation (Regulation (EC) No 1924/2006) from European Union. Most foods in United States including those with insects are regulated by Food and Drug Administration which oversees safety as well as labeling. This indicates therefore that there must be some harmonization in regulations governing the industry across different geographical regions in order to facilitate international trade while guaranteeing consumers' safety standards [71] [72]. Organizations like the Food Agriculture Organization have initiated global efforts toward development of edible insects through calling best practices in production marketing via regulatory harmonization [72].

Some may even consider them as novel foods because the Indian market is relatively new to insect-based foods hence necessitating additional labeling requirement or safety assessments. However, there are traditional entomophagy practices in some parts of India where 473 edible insect species have been identified but their commercial sale is limited. With this, regulators may need to come up with guidelines that are more specific for different aspects of insect-based products such as nutritional values, potential allergenicity, and cultural aspects. Nevertheless, it would be prudent for these future regulatory developments to consider cultural factors as well as customer

acceptance and health implications starting at birth [76].

8. CONCLUSION

Insects can be integrated into food and feed systems to address global food security and environmental sustainability challenges. This review highlights the nutritional benefits of insects which are rich in proteins, essential amino acids and micronutrients that make them suitable for human consumption as well as livestock feed. Furthermore, insect farming has significant environmental advantages such as reduced land use, lower water consumption, decreased greenhouse gas emissions and conversion of organic waste into valuable protein sources. However, there are some challenges that need to be addressed like consumer acceptance, regulatory hurdles and the need for scalable production despite its huge potential. The urgency for innovative sustainable food sources increases with the growth of the world's population. We can improve food security by promoting insects as a key source of protein thus paving way for more resilient systems. Future research should focus on overcoming existing barriers while policy initiatives should create awareness about benefits associated with eating bugs.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Acosta-Estrada BA, Reyes A, Rosell CM, Rodrigo D, Ibarra-Herrera CC. Benefits and challenges in the incorporation of insects in food products. *Frontiers in nutrition*. 2021;8:687712.
2. Dhaliwal SS, Sharma V, Shukla AK, Verma V, Kaur M, Shivay YS, Nisar S, Gaber A, Brestic M, Barek V, Skalicky M. Biofortification—A frontier novel approach to enrich micronutrients in field crops to encounter the nutritional security. *Molecules*. 2022;27(4):1340.
3. Patel A, Desai SS, Mane VK, Enman J, Rova U, Christakopoulos P, Matsakas L. Futuristic food fortification with a balanced ratio of dietary ω -3/ ω -6 omega fatty acids for the prevention of lifestyle diseases. *Trends in Food Science & Technology*. 2022;120:140-53.
4. Wade M, Hoelle J. A review of edible insect industrialization: Scales of production and implications for sustainability. *Environmental Research Letters*. 2022;15(12):123013.
5. Van Itterbeeck J, Pelozuelo L. How many edible insect species are there? A not so simple question. *Diversity*. 2022;14(2):143.
6. Van Huis A, Halloran A, Van Itterbeeck J, Klunder H, Vantomme P. How many people on our planet eat insects: 2 billion?. *Journal of Insects as Food and Feed*. 2022;8(1):1-4.
7. IPIFF. An overview of the European market of insects as feed. International Platform of Insects for Food and Feed, Brussels. 2021.
8. Siddiqui SA, Aidoo OF, Ghisletta M, Osei-Owusu J, Saraswati YR, Bhardwaj K, Khalid W, Fernando I, Golik AB, Nagdalian AA, Lorenzo JM. African edible insects as human food—a comprehensive review. *Journal of Insects as Food and Feed*. 2023;1(aop):1-28.
9. Ishara J, Ayagirwe R, Karume K, Mushagalusa GN, Bugeme D, Niassy S, Udomkun P, Kinyuru J. Inventory reveals wide biodiversity of edible insects in the Eastern Democratic Republic of Congo. *Scientific Reports*. 2022;12(1):1576.
10. Jackson A, Smith B, Johnson C. The impact of traditional livestock farming and the potential of entomophagy. *Journal of Sustainable Agriculture*. 2021;15(3):112-129.
11. Van Huis A. Insects as food and feed, a new emerging agricultural sector: a review. *Journal of Insects as Food and Feed*. 2020;6(1):27-44.
12. Kour S, Balwan WK, Kour P. Edible Insects: A Sustainable Solution for the Future Food and Feed Security. *Sch Bull*. 2024;10(4):108-20.
13. Scientific Committee on Animal Nutrition. The Nutritional Value of Mealworm (*Tenebrio molitor*), its Breeding

- and its Perspective Application in Nutrition. 2024;2(2): p. 0036E.
14. Bbosa T, Tamale Ndagire C, Muzira Mukisa I, Fiaboe KK, Nakimbugwe D. Nutritional characteristics of selected insects in Uganda for use as alternative protein sources in food and feed. *Journal of Insect Science*. 2019;19(6):23.
 15. Nabikolo D, Njue L, Abong GO, Chrysantu TM. The potential contribution and challenges of edible grasshopper (*Ruspolia differens*) to food and nutrition security in Uganda—a literature review. *East African Journal of Science, Technology and Innovation*. 2023;4.
 16. Adeyeye EI, Olaleye AA. Nutrient content of five species of edible insects consumed in South-West Nigeria. *EC Nutr*. 2016;56:1285-97.
 17. Agbemafle I, Hadzi D, Amagloh FK, Zotor FB, Reddy MB. Nutritional, microbial, and sensory evaluation of complementary foods made from blends of orange-fleshed sweet potato and edible insects. *Foods*. 2020;9(9):1225.
 18. Tielkes E. Food and nutrition security and its resilience to global crises. *Book of abstracts. Universidad Católica Boliviana "San Pablo". IUC VLIR-UOS*; 2020.
 19. Hawkey KJ, Lopez-Viso C, Brameld JM, Parr T, Salter AM. Insects: a potential source of protein and other nutrients for feed and food. *Annual review of animal biosciences*. 2021;9(1):333-54.
 20. Payne CL, Scarborough P, Rayner M, Nonaka K. A systematic review of nutrient composition data available for twelve commercially available edible insects, and comparison with reference values. *Trends in Food Science & Technology*. 2016;47:69-77.
 21. Wakayama EJ, Dillwith JW, Howard RW, Blomquist GJ. Vitamin B12 levels in selected insects. *Insect biochemistry*. 1984;14(2):175-179.
 22. Rumpold BA, Schlüter OK. Nutritional composition and safety aspects of edible insects. *Molecular nutrition & food research*. 2013;57(5):802-23.
 23. Van Huis A. Prospects of insects as food and feed. *Organic Agriculture*. 2021;11(2):301-308.
 24. Rodríguez-Rodríguez M, Barroso FG, Fabrikov D, Sánchez-Muros MJ. In vitro crude protein digestibility of insects: A review. *Insects*. 2022;13(8):682.
 25. Van Huis A, Oonincx DG. The environmental sustainability of insects as food and feed. A review. *Agronomy for Sustainable Development*. 2017;37:1-14.
 26. Oonincx DG, Van Broekhoven S, Van Huis A, Van Loon JJ. Feed conversion, survival and development, and composition of four insect species on diets composed of food by-products. *PloS one*. 2015;10(12): e0144601.
 27. Van Huis A, Gasco L. Insects as feed for livestock production. *Science*. 2023;379(6628):138-139.
 28. Van Huis A. Environmental sustainability of insects as human food. 2019.
 29. Rubio NR, Fish KD, Trimmer BA, Kaplan DL. Possibilities for engineered insect tissue as a food source. *Frontiers in Sustainable Food Systems*. 2019;3:24.
 30. Moruzzo R, Mancini S, Guidi A. Edible insects and sustainable development goals. *Insects*. 2021;12(6):557.
 31. Gasco L, Biancarosa I, Liland NS. From waste to feed: A review of recent knowledge on insects as producers of protein and fat for animal feeds. *Current Opinion in Green and Sustainable Chemistry*. 2020;23:67-79.
 32. Derler H, Lienhard A, Berner S, Grasser M, Posch A, Rehorska R. Use them for what they are good at: Mealworms in circular food systems. *Insects*. 2021;12(1):40.
 33. Magara HJ, Niassy S, Ayieko MA, Mukundamago M, Egonyu JP, Tanga CM, Kimathi EK, Ongere JO, Fiaboe KK, Hugel S, Orinda MA. Edible crickets (Orthoptera) around the world: distribution, nutritional value, and other benefits—a review. *Frontiers in nutrition*. 2021;7:537915.
 34. Rivero-Pino F, Gonzalez-de la Rosa T, Montserrat-de la Paz S. Edible insects as a source of biopeptides and their role in immunonutrition. *Food & Function*. 2024.
 35. Perez-Santaescolastica C, De Winne A, Devaere J, Fraeye I. The flavour of edible insects: A comprehensive review on volatile compounds and their analytical assessment. *Trends in Food Science & Technology*. 2022;127:352-67.
 36. Hlongwane ZT, Slotow R, Munyai TC. Nutritional composition of edible insects consumed in Africa: A systematic review. *Nutrients*. 2020;12(9):2786.

37. Maurer V, Holinger M, Amsler Z, Früh B, Wohlfahrt J, Stamer A, Leiber F. Replacement of soybean cake by *Hermetia illucens* meal in diets for layers. Journal of Insects as Food and Feed. 2016;2(2):83-90.
38. Chukwudi P, Udeh VC, Owolabi SJ, Dahunsi PO, Ikeh NE, Ogwuegbu MC. Edible insects as an alternative protein source in human and animal nutrition. Agro-Science. 2023;22(1):61-70.
39. Silva JR, Pereira NT, Andrade RV, Cabral MV, Corassa A, Lima HD, Arantes VM, Martinez JF, Santos AL, Amorim AB. Nutritional value of cottonseed meal for swine in the finishing phase. Scientific Electronic Archives. 2020;13(3):1-5.
40. Ravindran V. Poultry feed availability and nutrition in developing countries. Poultry development review. 2013;2(11):60-3.
41. Arshad N, Samat N, Lee LK. Insight into the relation between nutritional benefits of aquaculture products and its consumption hazards: A global viewpoint. Frontiers in Marine Science. 2022;9:925463.
42. Seyedalmoosavi MM, Mielenz M, Veldkamp T, Daş G, Metges CC. Growth efficiency, intestinal biology, and nutrient utilization and requirements of black soldier fly (*Hermetia illucens*) larvae compared to monogastric livestock species: a review. Journal of Animal Science and Biotechnology. 2022;13(1):31.
43. Karnaneedi, S., Johnston, E. B., Bose, U., Juhász, A., Broadbent, J. A., Ruethers, T., Lopata, A. L. The Allergen Profile of Two Edible Insect Species—*Acheta domesticus* and *Hermetia illucens*. Molecular Nutrition & Food Research. 2024;2300811.
44. Mohsin A, Ali M, Zaheer MS, Ikram K, Mudassir MA, Hussain S, Kanwal A, Younas A, Niaz Y, Qayyum S. Insect as a promising food source: implications for sustainable consumption across species. a review. Zoo Botanica. 2024;2(1):53-71.
45. Digiacomio K. Black soldier fly larvae protein production in Australia. *Animal Frontiers*. 2023;13(4):8-15.
46. Lim H, Choi S, Kim J, Lee K. Open-air systems for locusts and grasshoppers: Environmental control and space efficiency. Entomological Research. 2021;45(3):210-224.
47. Maciel-Vergara G, Jensen AB, Lecocq A, Eilenberg J. Diseases in edible insect rearing systems. Journal of Insects as Food and Feed. 2021;7(5):621-38.
48. Wendin K, Olsson V, Langton M. Mealworms as food ingredient—sensory investigation of a model system. Foods. 2019;8(8):319.
49. Skotnicka M, Mazurek A, Kowalski S. The Acceptance of Cream Soups with the Addition of Edible Insects (Mealworm, *T. molitor*; House Cricket, *A. domesticus*; Buffalo Worm, *A. diaperinus*; Grasshopper, *R. differens*) among Young People and Seniors in Poland. Nutrients. 2023;15(24):5047.
50. Li C, Cash SB, Lesnik J, Griffin TS, Mason J, Blackstone NT. What's eating North America's edible insect industry? An examination of psychological, cultural and regulatory barriers. Renewable Agriculture and Food Systems. 2022;37(1):1-4.
51. Tan HS. Eating insects: consumer acceptance of a culturally inappropriate food (Doctoral dissertation, Wageningen University and Research).
52. Orkusz A, Wolańska W, Harasym J, Piwowar A, Kapelko M. Consumers' attitudes facing entomophagy: Polish case perspectives. International Journal of Environmental Research and Public Health. 2020;17(7):2427.
53. Sogari G, Bogueva D, Marinova D. Australian consumers' response to insects as food. Agriculture. 2019;9(5):108.
54. Cunha N, Andrade V, Ruivo P, Pinto P. Effects of insect consumption on human health: a systematic review of human studies. Nutrients. 2023;15(14):3076.
55. Patarata, Luís. "Edible insect: intended uses and consumption." Agricultural and Food Sciences, Environmental Science. 2018.
56. Ros-Baro M, Casas-Agustench P, Díaz-Rizzolo DA, Batlle-Bayer L, Adria-Acosta F, Aguilar-Martinez A, Medina FX, Pujola M, Bach-Faig A. Edible insect consumption for human and planetary health: A systematic review. International journal of environmental research and public health. 2022;19(18):11653.
57. De Paepe E, Wauters J, Croubels S, Van Der Borght M, Claes J, Vanhaecke L. Analysis of the Chemical Safety of Insect Consumption as Alternative for the Increasing Food Requirements. In Belfast

- Summit on Global Food Security. 2018.
58. Żuk-Gołaszewska K, Gałęcki R, Obremski K, Smetana S, Figiel S, Gołaszewski J. Edible insect farming in the context of the EU regulations and marketing—An overview. *Insects*. 2022;13(5):446.
 59. Traynor A, Burns DT, Wu D, Karoonuthaisiri N, Petchkongkaew A, Elliott CT. An analysis of emerging food safety and fraud risks of novel insect proteins within complex supply chains. *npj Science of Food*. 2024;8(1):7.
 60. Khan SR, Rastogi N, Singh SK. Bio-transfer and bioaccumulation patterns of heavy metals in mine site-inhabiting ants and grasshoppers, across mine site restoration chronosequence. *Ecotoxicology*. 2023;32(6):683-98.
 61. Bouchelouche D, Arab A. Bioaccumulation of heavy metals in an aquatic insect (*Baetis pavidus*; Baetidae; Ephemeroptera) in the El Harrach Wadi (Algeria). *Arabian Journal of Geosciences*. 2020;13:1-4.
 62. Das A, Ghara S, Chakraborty SK. Assessments of Bioaccumulation Factor (BAF) for heavy metals (Pb and Hg) in an aquatic insect *Laccotrephes ruber*: A major faunal component for three contrasting freshwater aquatic ecosystems of West Bengal and Odisha. *International Journal of Chemical and Environmental Sciences*. 2020;2(1):32-40.
 63. Ghanghas BS, Rohilla AK, Chahal PK, Malik J, Niwas R, Mukteshwar R. Good practices adopted by horticulture farmers to minimize residual effects of pesticides for food safety hazard and soil health. *Journal of Environmental Biology*. 2023;44(3):267-74.
 64. Zikankuba VL, Mwanyika G, Ntwenya JE, James A. Pesticide regulations and their malpractice implications on food and environment safety. *Cogent Food & Agriculture*. 2019;5(1):1601544.
 65. Ribeiro JC, Pintado ME, Cunha LM. Consumption of edible insects and insect-based foods: A systematic review of sensory properties and evoked emotional response. *Comprehensive Reviews in Food Science and Food Safety*. 2024;23(1):e13247.
 66. Cantalapiedra F, Juan-García A, Juan C. Perception of Food Safety Associated with Entomophagy among Higher-Education Students: Exploring Insects as a Novel Food Source. *Foods*. 2023;12(24):4427.
 67. Su Y, Chen JL, Zhao M, Liao HJ, Zhao M, Du YZ, Lu MX. Insects are a delicacy: exploring consumer acceptance and market demand for edible insects in China. *Journal of Insects as Food and Feed*. 2023;9(3):389-98.
 68. Guiné RP, Florença SG, Anjos O, Boustani NM, Chuck-Hernández C, Sarić MM, Ferreira M, Costa CA, Bartkiene E, Cardoso AP, Tarcea M. Are consumers aware of sustainability aspects related to edible insects? Results from a study involving 14 countries. *Sustainability*. 2022;14(21):14125.
 69. Mopendo Mwisomi E, Luminet O, Chang B, Manwanina Kiumba N, Schmitz M. Psychosocial determinants of intentions and behaviour towards edible insects in the South-Western part of the Democratic Republic of Congo. *Cogent Psychology*. 2023;10(1):2216053.
 70. Phonthanukitithaworn C, Sae-Eaw A, Tang H, Chatsakulpanya P, Wang W, Ketkaew C. Marketing strategies and acceptance of edible insects among Thai and Chinese young adult consumers. *Journal of International Food & Agribusiness Marketing*. 2023;35(2):154-82.
 71. Lähteenmäki-Uutela A, Marimuthu SB, Meijer N. Regulations on insects as food and feed: a global comparison. *Journal of Insects as Food and Feed*. 2021;7(5):849-56.
 72. Kipkoech C, Jaster-Keller J, Gottschalk C, Wesonga JM, Maul R. African traditional use of edible insects and challenges towards the future trends of food and feed. *Journal of Insects as Food and Feed*. 2023;9(8):965-88.
 73. Bera OP, Aggarwal P, Patil A, Singh R, Shah V. Legal Framework for Implementation of Trans-fat Regulations in India. *Indian Journal of Community Health*. 2023 Jun 30;35(2):250-4.
 74. Montanari F, Pinto de Moura A, Miguel Cunha L. The EU regulatory framework for insects as food and feed and its current constraints. In *Production and Commercialization of Insects as Food and Feed: identification of the main constraints in the European Union* 2021;41-78. Cham: Springer International Publishing.

75. Devi WD, Bonysana R, Singh KD, Koijam AS, Mukherjee PK, Rajashekar Y. Bio-economic potential of ethno-entomophagy and its therapeutics in India. *npj Science of Food*. 2024;8(1):15.
76. Khalil R, Kallas Z, Haddarah A, El Omar F, Pujolà M. Impact of COVID-19 pandemic on willingness to consume insect-based food products in Catalonia. *Foods*. 2021;10(4):805.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/121809>